



### 9500TT HANDLESET TRIM



Model	9500TT03	9500TT04	9500TT05
Function	Passage (#3)	Storeroom (#4) ←	Entrance (#5) ←
Finish	28, 32D	28, 32D	28, 32D
Cylinder <sup>1</sup>	—	Rim <sup>2</sup>	Mortise <sup>2</sup>
Plate (HxW)	14 1/2 x 2 5/8 (368 x 67)	14 1/2 x 2 5/8 (368 x 67)	14 1/2 x 2 5/8 (368 x 67)
Pull (B)	6 1/8 (156)	6 1/8 (156)	6 1/8 (156)
Projection (C)	2 1/8 (54)	2 1/8 (54)	2 1/8 (54)
Door Thickness	1 3/4 (44.5)*	1 3/4 (44.5)*	1 3/4 (44.5)*
Warranty	1 Year limited	1 Year limited	1 Year limited

IN (MM) (1) SOLID BRASS, 6-PIN CYLINDER, SCHLAGE "C", 2 KEYS INCLUDED – KEYING SERVICES AVAILABLE (2) SFIC MODEL AVAILABLE, CORE SOLD SEPARATELY  
 (\*) 2 1/4IN (57MM) DOOR KIT AVAILABLE #9500KE225-TT

### 9500TK/TL TRIM STYLES



Trim	9500TK	9500TL
Available Functions <sup>1</sup>	10 Passage 70 Classroom ← 80 Storeroom ←	10 Passage 70 Classroom ← <sup>2</sup> 80 Storeroom ← <sup>2</sup>
Finish	26D	26D
Rose (A)	3 3/8 (86)	3 3/8 (86)
Length (B)	ø 2 1/4 (57)	4 7/16 (113)
Projection (C)	2 3/4 (70)	2 9/16 (65)
Door Thickness	1 3/4 (44.5)	1 3/4 (44.5)
Warranty	1 Year limited	1 Year limited

IN (MM) (1) KEYED FUNCTIONS INCLUDE: SOLID BRASS, 6-PIN CYLINDER, SCHLAGE "C", 2 KEYS – KEYING SERVICES AVAILABLE (2) SFIC MODEL AVAILABLE, CORE SOLD SEPARATELY

# 9500 SERIES

## EXIT DEVICE TRIMS & ACCESSORIES

DOREX®

### 9500TE ESCUTCHEON TRIM



Model	9500TE10	9500TE70	9500TE80
Function	Passage	Classroom ↔	Storeroom ↔
Finish	19, 26D, 28	19, 26D, 28	19, 26D, 28
Lever	Straight return	Straight return	Straight return
Cylinder <sup>1</sup>	—	Mortise <sup>2</sup>	Mortise <sup>2</sup>
Escutcheon (H x W)	8 <sup>3</sup> / <sub>16</sub> x 2 <sup>1</sup> / <sub>2</sub> (224 x 64)	8 <sup>3</sup> / <sub>16</sub> x 2 <sup>1</sup> / <sub>2</sub> (224 x 64)	8 <sup>3</sup> / <sub>16</sub> x 2 <sup>1</sup> / <sub>2</sub> (224 x 64)
Lever (B)	4 <sup>5</sup> / <sub>8</sub> (118)	4 <sup>5</sup> / <sub>8</sub> (118)	4 <sup>5</sup> / <sub>8</sub> (118)
Projection (C)	2 <sup>3</sup> / <sub>8</sub> (60)	2 <sup>3</sup> / <sub>8</sub> (60)	2 <sup>3</sup> / <sub>8</sub> (60)
Door Thickness	1 <sup>3</sup> / <sub>4</sub> (44.5)*	1 <sup>3</sup> / <sub>4</sub> (44.5)*	1 <sup>3</sup> / <sub>4</sub> (44.5)*
Warranty	1 Year limited	1 Year limited	1 Year limited

IN (MM) (1) SOLID BRASS, 6-PIN CYLINDER, SCHLAGE "C", 2 KEYS INCLUDED – KEYING SERVICES AVAILABLE (2) SFIC MODEL AVAILABLE, CORE SOLD SEPARATELY  
 (\*) 2 1/4IN (57MM) DOOR KIT AVAILABLE #9500KE225-TE

### 9500TEH ESCUTCHEON TRIM – HEAVY DUTY



Model	9500TEH10	9500TEH70	9500TEH80
Function	Passage	Classroom ↔	Storeroom ↔
Finish	32D	32D	32D
Lever	Straight return	Straight return <sup>2</sup>	Straight return <sup>2</sup>
Cylinder <sup>1</sup>	—	Mortise	Mortise
Escutcheon (H x W)	10 <sup>1</sup> / <sub>2</sub> x 2 <sup>5</sup> / <sub>8</sub> (268 x 67)	10 <sup>1</sup> / <sub>2</sub> x 2 <sup>5</sup> / <sub>8</sub> (268 x 67)	10 <sup>1</sup> / <sub>2</sub> x 2 <sup>5</sup> / <sub>8</sub> (268 x 67)
Lever (B)	4 <sup>5</sup> / <sub>8</sub> (118)	4 <sup>5</sup> / <sub>8</sub> (118)	4 <sup>5</sup> / <sub>8</sub> (118)
Projection (C)	2 <sup>13</sup> / <sub>16</sub> (72)	2 <sup>13</sup> / <sub>16</sub> (72)	2 <sup>13</sup> / <sub>16</sub> (72)
Door Thickness	1 <sup>3</sup> / <sub>4</sub> – 2 <sup>1</sup> / <sub>4</sub> (44.5 – 57)	1 <sup>3</sup> / <sub>4</sub> – 2 <sup>1</sup> / <sub>4</sub> (44.5 – 57)	1 <sup>3</sup> / <sub>4</sub> – 2 <sup>1</sup> / <sub>4</sub> (44.5 – 57)
Warranty	5 Year limited	5 Year limited	5 Year limited

IN (MM) (1) SOLID BRASS, 6-PIN CYLINDER, SCHLAGE "C", 2 KEYS INCLUDED – KEYING SERVICES AVAILABLE (2) LEVER WITH CLUTCH



### PULLS & PLATES



Trim	9500TPEP	9500TPDT	9500TPNL
Finish	28-Aluminum, painted	28-Aluminum, painted	28-Aluminum, painted
Function	Blank plate (#1)	Dummy pull (#2)	Night latch (#4) ➔
Cylinder	—	—	Rim <sup>1</sup>
Projection (B)	—	1¼(32)	1¼(32)
Plate (HxW)	5½ <sup>1</sup> / <sub>16</sub> x3 (144x76)	7 <sup>19</sup> / <sub>16</sub> x3 (198x76)	7 <sup>19</sup> / <sub>16</sub> x3 (198x76)
Door Thickness	1¾ (44.5)	1¾ (44.5)	1¾ (44.5)

IN (MM) (1) SOLID BRASS, 6-PIN CYLINDER, SCHLAGE "C", 2 KEYS INCLUDED – KEYING SERVICES AVAILABLE; SFIC MODEL AVAILABLE, CORE SOLD SEPARATELY

### OTHER ACCESSORIES



**9500KA**  
Push pad alarm kit for 9500 exit devices.  
#9500KA36 for 36" (914mm) models.  
#9500KA48 for 48" (1219mm) models.



**9500KD**  
Cylinder dogging kit for 9500 Panic Exit devices only.  
#9500KD36 for size 36" (914mm) models.  
#9500KD48 for size 48" (1219mm) models.

**9500KE225-TE**  
9500TE Extension kit for 2¼" (57mm) door  
**9500KE225-TT**  
9500TT Extension kit for 2¼" (57mm) door



**9500KSRX**  
Push pad request to exit switch kit.  
*Requires rail modification—please contact.*

